



SPRAWOZDANIE Z BADAŃ NR 846105/25/GDY

Zleceniodawca HERO PRO LTD Office 312b, 182-184 High Street North E6 2JA London		Próbka (wg deklaracji Zleceniodawcy) Opis próbki: Prime Test - 120vcaps. Partia: PT26092025 Data produkcji: 26.09.2025 Data przydatności: 30.09.2028
Data przyjęcia próbki	08.11.2025	Stan próbki: bez zastrzeżeń Numer próbki: 846105/25/GDY Próbka otrzymana od Zleceniodawcy
Data rozpoczęcia badań	08.11.2025	
Data zakończenia badań	20.11.2025	
Data sprawozdania z badań	20.11.2025	

Rodzaj badania Metoda	Jednostka	Wynik
* Zawartość pierwiastków PN-EN 15763:2010		
Ołów (Pb)	mg/kg	0,018
Arsen (As)	mg/kg	0,067
Kadm (Cd)	mg/kg	0,0027
Rtęć (Hg)	mg/kg	< 0,0010
* Liczba drobnoustrojów w 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	jtk/g	1,6x10 ²
* Liczba drożdży i pleśni w 25°C PN-ISO 7954:1999 (wycofana)	jtk/g	<1,0x10 ¹
* Obecność Escherichia coli w 1 g PN-ISO 7251:2006	w 1 g	Nie wykryto
* Obecność gronkowców koagulazo-dodatnich (Staphylococcus aureus i innych gatunków) w 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	w 1 g	Nie wykryto
* Obecność bakterii z rodzaju Salmonella spp. w 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	w 25 g	Nie wykryto

Autoryzował:
ID: 205, Ekspert ds. Analiz, Pracownia Mikrobiologii
ID: 372, Ekspert ds. Analiz, Pracownia Spektrometrii

Sprawozdanie z badań opatrzone certyfikowaną pieczęcią elektroniczną J.S. Hamilton Poland Sp. z o.o.

Adres laboratorium:
Chwaszczyńska 180, 81-571 Gdynia

Wyniki odnoszą się wyłącznie do otrzymanych i badanych próbek. Jeśli podano niepewność pomiaru i nie określono inaczej, to jest to niepewność rozszerzona, oszacowana dla współczynnika rozszerzenia k=2 i poziomu ufności 95% oraz nie uwzględnia niepewności pobierania próbek. Jeśli dokonano stwierdzenia zgodności i nie określono inaczej J.S. Hamilton Poland Sp. z o.o. stosuje zasadę prostej akceptacji według wytycznych ILAC-G8:09/2019. Jeżeli w kolumnie „wynik” przedstawiono zapis w postaci „<” lub „>” oznacza to, iż jest to rezultat badania, bezpośrednio powiązany z dolną lub górną granicą zakresu pomiarowego metody. Jeśli dla takiego rezultatu badania podana jest rozszerzona niepewność pomiaru, to dotyczy ona wyłącznie odpowiednio dolnej lub górnej granicy zakresu pomiarowego metody. W przypadku gdy Laboratorium opiera się na rezultacie badania, w kolumnie „stwierdzenie zgodności” przedstawia opinię i interpretację. Niniejsze sprawozdanie nie może być powielane w części bez pisemnej zgody J.S. Hamilton Poland Sp. z o.o. Odpowiedzialność J.S. Hamilton Poland Sp. z o.o. jest ograniczona wyłącznie do danych zawartych w jego oryginale. J.S. Hamilton Poland Sp. z o.o. nie zezwala na stosowanie symbolu akredytacji PCA AB 079 przez swoich klientów, podwykonawców, zewnętrznych dostawców usług i inne strony trzecie. Więcej informacji znajduje się w dokumencie PCA - DA-02. Usługa potwierdzona niniejszym sprawozdaniem podlega Ogólnym Warunkom Świadczenia Usług J.S. Hamilton Poland Sp. z o.o. zamieszczonym na stronie www.hamilton.com.pl.

* Badanie akredytowane

Badanie wykonane przez zewnętrznego dostawcę

SPRAWOZDANIE Z BADAŃ NR 846105/25/GDY

KONIEC SPRAWOZDANIA



TEST REPORT NO 846105/25/GDY

Client HERO PRO LTD Office 312b, 182-184 High Street North E6 2JA London		Sample (according to declaration of Client) Sample description: Prime Test - 120vcaps. Batch: PT26092025 Production date: 26.09.2025 Expiry date: 30.09.2028	
Sample reception date:	08.11.2025	Sample status: no objections Sample number: 846105/25/GDY Sample received from the Client	
Start of analysis	08.11.2025		
End of analysis	20.11.2025		
Test report date	20.11.2025		

Test Method	Unit	Result
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,018
Arsenic (As)	mg/kg	0,067
Cadmium (Cd)	mg/kg	0,0027
Mercury (Hg)	mg/kg	< 0,0010
* Aerobic colony count at 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	cfu/g	1,6x10 ²
* Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn)	cfu/g	<1,0x10 ¹
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected

Authorized by:
ID: 205, Analysis Expert, Microbiology Laboratory
ID: 372, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
Test performed by external provider

TEST REPORT NO 846105/25/GDY

THE END OF THE REPORT



TEST REPORT NO 846089/25/GDY

Client HERO PRO LTD Office 312b, 182-184 High Street North E6 2JA London		Sample (according to declaration of Client) Sample description: Magnet - 90vcaps. Batch: MAG26092025 Production date: 26.09.2025 Expiry date: 30.09.2028	
Sample reception date:	08.11.2025	Sample status: no objections Sample number: 846089/25/GDY Sample received from the Client	
Start of analysis	08.11.2025		
End of analysis	20.11.2025		
Test report date	20.11.2025		

Test Method	Unit	Result
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,022
Arsenic (As)	mg/kg	0,018
Cadmium (Cd)	mg/kg	0,0037
Mercury (Hg)	mg/kg	0,0022
* Aerobic colony count at 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	cfu/g	1,9x10 ²
* Number of yeasts and moulds at 25°C PN-ISO 7954:1999 (withdrawn)	cfu/g	1,3x10 ²
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected

Authorized by:

ID: 205, Analysis Expert, Microbiology Laboratory

ID: 295, Analysis Expert, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider

TEST REPORT NO 846089/25/GDY

THE END OF THE REPORT



SPRAWOZDANIE Z BADAŃ NR 846089/25/GDY

Zleceniodawca HERO PRO LTD Office 312b, 182-184 High Street North E6 2JA London		Próbka (wg deklaracji Zleceniodawcy) Opis próbki: Magnet - 90vcaps. Partia: MAG26092025 Data produkcji: 26.09.2025 Data przydatności: 30.09.2028
Data przyjęcia próbki	08.11.2025	Stan próbki: bez zastrzeżeń Numer próbki: 846089/25/GDY Próbka otrzymana od Zleceniodawcy
Data rozpoczęcia badań	08.11.2025	
Data zakończenia badań	20.11.2025	
Data sprawozdania z badań	20.11.2025	

Rodzaj badania Metoda	Jednostka	Wynik
* Zawartość pierwiastków PN-EN 15763:2010		
Ołów (Pb)	mg/kg	0,022
Arsen (As)	mg/kg	0,018
Kadm (Cd)	mg/kg	0,0037
Rtęć (Hg)	mg/kg	0,0022
* Liczba drobnoustrojów w 30°C PN-EN ISO 4833-1:2013-12; PN-EN ISO 4833-1:2013-12/A1:2022-06	jtk/g	1,9x10 ²
* Liczba drożdży i pleśni w 25°C PN-ISO 7954:1999 (wycofana)	jtk/g	1,3x10 ²
* Obecność Escherichia coli w 1 g PN-ISO 7251:2006	w 1 g	Nie wykryto
* Obecność gronkowców koagulazo-dodatnich (Staphylococcus aureus i innych gatunków) w 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	w 1 g	Nie wykryto
* Obecność bakterii z rodzaju Salmonella spp. w 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	w 25 g	Nie wykryto

Autoryzował:
ID: 205, Ekspert ds. Analiz, Pracownia Mikrobiologii
ID: 295, Ekspert ds. Analiz, Pracownia Spektrometrii

Sprawozdanie z badań opatrzone certyfikowaną pieczęcią elektroniczną J.S. Hamilton Poland Sp. z o.o.

Adres laboratorium:
Chwaszczyńska 180, 81-571 Gdynia

Wyniki odnoszą się wyłącznie do otrzymanych i badanych próbek. Jeśli podano niepewność pomiaru i nie określono inaczej, to jest to niepewność rozszerzona, oszacowana dla współczynnika rozszerzenia k=2 i poziomu ufności 95% oraz nie uwzględnia niepewności pobierania próbek. Jeśli dokonano stwierdzenia zgodności i nie określono inaczej J.S. Hamilton Poland Sp. z o.o. stosuje zasadę prostej akceptacji według wytycznych ILAC-G8:09/2019. Jeżeli w kolumnie „wynik” przedstawiono zapis w postaci „<” lub „>” oznacza to, iż jest to rezultat badania, bezpośrednio powiązany z dolną lub górną granicą zakresu pomiarowego metody. Jeśli dla takiego rezultatu badania podana jest rozszerzona niepewność pomiaru, to dotyczy ona wyłącznie odpowiednio dolnej lub górnej granicy zakresu pomiarowego metody. W przypadku gdy Laboratorium opiera się na rezultacie badania, w kolumnie „stwierdzenie zgodności” przedstawia opinię i interpretację. Niniejsze sprawozdanie nie może być powielane w części bez pisemnej zgody J.S. Hamilton Poland Sp. z o.o. Odpowiedzialność J.S. Hamilton Poland Sp. z o.o. jest ograniczona wyłącznie do danych zawartych w jego oryginale. J.S. Hamilton Poland Sp. z o.o. nie zezwala na stosowanie symbolu akredytacji PCA AB 079 przez swoich klientów, podwykonawców, zewnętrznych dostawców usług i inne strony trzecie. Więcej informacji znajduje się w dokumencie PCA - DA-02. Usługa potwierdzona niniejszym sprawozdaniem podlega Ogólnym Warunkom Świadczenia Usług J.S. Hamilton Poland Sp. z o.o. zamieszczonym na stronie www.hamilton.com.pl.

* Badanie akredytowane

Badanie wykonane przez zewnętrznego dostawcę

SPRAWOZDANIE Z BADAŃ NR 846089/25/GDY

KONIEC SPRAWOZDANIA